

COSHH Assessments

These assessments are only preliminary, they do not take account of the particular circumstances or environment in which the product is being used or encountered and the information contained within the assessments is based on generic information for similar products.

This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the preliminary assessments. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks is undertaken by a competent person before using any material which may be hazardous to health.

An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier of the specific substances being used and reviewed alongside this assessment to ensure that the hazards have been identified and that the control measures are suitable and valid.

Every reasonable effort has been taken to ensure that the information and content of the software is accurate, but Safety Services Direct Ltd accepts no responsibility or liability for any errors or omissions, or for any incorrect assumptions or conclusions reached from the use of or interpretation of the information contained within the Preliminary COSHH Assessments.



COSHH Assessment Form Explained

The top section of the form is used to provide general details about the Assessment, the substance being assessed, when the assessment was prepared, what the activity being assessed is and who the supplier of the material is.

The LEV Requirements refer to the need to ensure that where appropriate, adequate dilution ventilation or extraction ventilation is provided. In many cases simply working in a well-ventilated environment will suffice. Consideration should however take account of the substance and the work location.

The monitoring requirements should outline any supervision that is required, together with any air monitoring or health surveillance which may be required to ensure the workers exposure does not exceed the WEL.

COSHH ASSESSMENT

Address:	COSHH Assess. No:
	Assessed:
	Date:
	Risk Phrases:
	Safety Phrases:
	Telephone:
	Fax No's:
	MSDS Attached: / No
SUBSTANCE PROPERTIES	

LEV Requirements	Monitoring Requirements
>	>

The central part of the form can be used to identify the control measures, Risk that

Transport Arrangements	Storage Requirements
>	>

The storage and disposal requirements should outline any special requirements or restrictions with regards to the disposal of the material.

Spillage Procedures	Disposal Requirements
>	>

Comments

The comments box should be used to include any additional information regarding the assessment, required control measures, other information which maybe relevant to the task being undertaken.





Depending on the particular substance being assessed, it may be that there is no Workplace Exposure Limit (WEL), no Safety/Risk Phrases and no requirements for monitoring or LEV. It is therefore not essential that every box contains information.

control k. This may sequence of

work; restricting the amount of time spent doing the work, and the requirements for first aid and fire safety in case of an accident.

COSHH – Know your warning symbols

Under COSHH or the Control of Substances Hazardous to Health Regulations 2002, all persons at work need to know the safety precautions to take so as not to endanger themselves or others through exposure to substances hazardous to health. Below are the four general classifications of risk – know the appropriate symbol, their meaning and their safety precautions.

Meaning	Symbol	Safety Precautions
<p>Toxic/Very Toxic May cause serious health risk or even death if inhaled, ingested or if it penetrates the skin.</p>		<ol style="list-style-type: none"> 1. Wear suitable protective clothing, gloves and eye/face protection. 2. After contact with skin, wash immediately with plenty of water. 3. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 4. In case of accident or if you feel unwell, seek medical advice immediately.
<p>Corrosive May on contact cause destruction of living tissues or burns</p>		<ol style="list-style-type: none"> 1. Wear suitable gloves and eye/face protection 2. Take off immediately all contaminated clothing 3. In case of contact with skin wash immediately with plenty of water. 4. In case of contact with eyes, rinse immediately (for minimum of 15 minutes) with plenty of water and seek medical advice.
<p>Harmful May cause limited health risk if inhaled or ingested or if it penetrates the skin</p>		<ol style="list-style-type: none"> 1. Do not breathe vapour/spray/dust. 2. Avoid contact with skin 3. Wash thoroughly before you eat, drink or smoke. 4. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<p>Irritant May cause inflammation and irritation on immediate or repeated or prolonged contact with the skin or inhaled.</p>		<ol style="list-style-type: none"> 1. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 2. In case of contact with skin, wash immediately with plenty of water 3. Do not breathe vapour/spray/dust.

RISK PHRASES

- R1: Explosive when dry
- R2: Risk of explosion by shock, friction, fire or other sources of ignition
- R3: Extreme risk of explosion by shock, friction, fire or other sources of ignition
- R4: Forms very sensitive explosive metallic compounds
- R5: Heating may cause an explosion
- R6: Explosive with or without contact with air
- R7: May cause fire
- R8: Contact with combustible material may cause fire
- R9: Explosive when mixed with combustible material
- R10: Flammable
- R11: Highly flammable
- R12: Extremely flammable
- R14: Reacts violently with water
- R15: Contact with water liberates highly flammable gases
- R16: Explosive when mixed with oxidising substances
- R17: Spontaneously flammable in air
- R18: In use, may form flammable/explosive vapour-air mixture
- R19: May form explosive peroxides
- R20: Harmful by inhalation
- R21: Harmful in contact with skin
- R22: Harmful if swallowed
- R23: Toxic by inhalation
- R24: Toxic in contact with skin
- R25: Toxic if swallowed
- R26: Very toxic by inhalation
- R27: Very toxic in contact with skin
- R28: Very toxic if swallowed
- R29: Contact with water liberates toxic gas
- R30: Can become highly flammable in use
- R31: Contact with acids liberates toxic gas
- R32: Contact with acids liberates very toxic gas
- R33: Danger of cumulative effects
- R34: Causes burns
- R35: Causes severe burns
- R36: Irritating to eyes
- R37: Irritating to respiratory system
- R38: Irritating to the skin
- R39: Danger of very serious irreversible effects
- R40: Limited evidence of a carcinogenic effect
- R41: Risk of serious damage to eyes
- R42: May cause sensitisation by inhalation
- R43: May cause sensitisation by skin contact
- R44: Risk of explosion if heated under confinement
- R45: May cause cancer
- R46: May cause heritable genetic damage
- R48: Danger of serious damage to health by prolonged exposure
- R49: May cause cancer by inhalation

- R50: Very toxic to aquatic organisms
- R51: Toxic to aquatic organisms
- R52: Harmful to aquatic organisms
- R53: May cause long term adverse effects in the aquatic environment
- R54: Toxic to flora
- R55: Toxic to fauna
- R56: Toxic to soil organisms
- R57: Toxic to bees
- R58: May cause long term adverse effects in the environment
- R59: Dangerous for the ozone layer
- R60: May impair fertility
- R61: May cause harm to the unborn child
- R62: Possible risk of impaired fertility
- R63: Possible risk of harm to the unborn child
- R64: May cause harm to breastfed babies
- R65: Harmful: may cause lung damaged if swallowed
- R66: Repeated exposure may cause skin dryness or cracking
- R67: Vapours may cause drowsiness or dizziness
- R68: Possible risk of irreversible effects

SAFETY PHRASES

- S1: Keep locked up
- S2: Keep out of reach of children
- S3: Keep in a cool place
- S4: Keep away from living quarters
- S5: Keep contents under.(appropriate liquid to be specified by the manufacturer)
- S6: Keep under ... (inert gas to be specified by the manufacturer)
- S7: Keep container tightly closed
- S8: Keep container dry
- S9: Keep container in a well ventilated place
- S12: Do not keep the container sealed
- S13: Keep away from food, drink and animal feeding-stuffs
- S14: Keep away from .. (incompatible materials to be indicated by the manufacturer)
- S15: Keep away from heat
- S16: Keep away from sources of ignition - No Smoking
- S17: Keep away from combustible material
- S18: Handle and open container with care
- S20: When using do not eat or drink
- S21: When using do not smoke
- S22: Do not breathe dust
- S23: Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by manufacturer)
- S24: Avoid contact with skin
- S25: Avoid contact with eyes
- S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- S27: Take off immediately all contaminated clothing
- S28: After contact with skin, wash immediately with plenty of ... (to be specified by the manufacturer)
- S29: Do not empty into drains
- S30: Never add water to this product
- S33: Take precautionary measures against static discharges
- S34: Avoid shock and friction
- S35: This material and its container must be disposed of in a safe way
- S36: Wear suitable protective clothing
- S37: Wear suitable gloves
- S38: In case of insufficient ventilation, wear suitable respiratory equipment
- S39: Wear eye/face protection
- S40: To clean the floor and all objects contaminated by this material use (to be specified by the manufacturer)
- S41: In case of fire and/or explosion do not breathe fumes
- S42: During fumigation/spraying wear suitable respiratory equipment (Appropriate wording to be specified by the manufacturer)
- S43: In case of fire, use ... (indicate in the space the precise type of fire-fighting equipment. If water increases the risk, add - Never use water)
- S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

- S46: If swallowed seek medical advice immediately and show this container or label
- S47: Keep at temperature not exceeding ... °C (to be specified by the manufacture)
- S48: Keep wet with ... (appropriate material to be specified by the manufacturer)
- S49: Keep only in the original container
- S50: Do not mix with ... (to be specified by the manufacturer)
- S51: Use only in well ventilated areas
- S52: Not recommended for interior use on large surface areas
- S53: Avoid exposure - obtain special instruction before use
- S56: Dispose of this material and its container to hazardous or special waste collection point
- S57: Use appropriate containment to avoid environmental contamination
- S59: Refer to manufacturer/supplier for information on recovery/recycling
- S60: This material and/or its container must be disposed of as hazardous waste
- S61: Avoid release to the environment. Refer to special instructions/safety data sheet
- S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label
- S63: In case of accident by inhalation: remove casualty to fresh air and keep at rest
- S64: If swallowed, rinse mouth with water (only if the person is conscious)

PRIVATE & CONFIDENTIAL

Health Surveillance Record

Company Name:		Employees Name :		Job Title:	
National Insurance No:		Male/Female:	Nationality:	Date of Birth:	
Brief description of work carried out:					
Type of health surveillance used:		Results of the examination/test:		Signature:	Date:
General Comments :					
Signature:				Date:	

COSHH ASSESSMENT BRIEFING RECORD

BRIEFING TITLE:			
Applicable COSHH Assessments:			
Briefing Given By:		Date:	

Ref.	Name	Signature	Comments
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

COSHH ASSESSMENTS INDEX

COSHH ASSESS. NO.	TITLE
1	PVA Adhesive
2	Unleaded Petrol
3	Diesel
4	White Spirit
5	High Gloss Interior Paint
6	Vinyl Matt (Paint)
7	Spray Lubricant/Penetrant Oil
8	Caustic Soda
9	Sodium Hypochlorite (Bleach)
10	Furniture Polish
11	Thick Fragrant Bleach
12	Detergent
13	Lemon Floor Gel
14	Sulphamic Acid Toilet Cleaner
15	Hand Lotion Spray Soap

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	PVA Adhesive	COSHH Assess. No.:	1
Description of Substance:	Ready mixed adhesive	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Liquid adhesive normally applied with a brush or spreader.	Risk Phrases:	
		Safety Phrases:	
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	No	No	Yes	No	No

ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons	X		

PPE REQUIREMENTS

						Other:	Other:
Yes	No	No	No	Yes	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> Wash skin thoroughly with soap and clean water 	<ul style="list-style-type: none">

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Unleaded Petrol	COSHH Assess. No.:	2
Description of Substance:	Clear yellow liquid with characteristic odour	Assessed By:	RH
Workplace Exposure Limits:	Benzene 1ppm n-Hexane 20ppm LTEL	Date:	25 Jan 08
Task/Activity:	Used as a fuel for vehicles, plant and other powered equipment.	Risk Phrases:	R11 R20 R23 R24 R25 R36 R38 R45 R46 R48 R51 R52 R53 R62 R65 R67
		Safety Phrases:	S9 S16 S23 S24 S29 S33 S61 S62
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
Yes	No	Yes	Yes	Yes	Yes	Yes	No







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions	X	Injection	

PERSONS AT RISK

Users of the product	X	Members of Public	X	Visitors	
Other Workers	X	Young Persons	X		

PPE REQUIREMENTS

						Other:	Other:
Yes	No	Yes	No	Yes	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Wash skin thoroughly with soap and clean water ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ No smoking to be permitted in the vicinity of the substance. ➤ No hot works to be allowed in the vicinity of the works. ➤ Use CO2 or dry powder extinguisher

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using a proprietary spill kit/absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of as special waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Diesel	COSHH Assess. No.:	3
Description of Substance:	Clear colourless liquid with characteristic odour	Assessed By:	RH
Workplace Exposure Limits:	Complex mixture of hydrocarbons 100ppm	Date:	25 Jan 08
Task/Activity:	Used as a fuel for vehicles and generators.	Risk Phrases:	R10
		Safety Phrases:	
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
Yes	No	No	Yes	Yes	Yes	Yes	No

ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions	X	Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
Yes	No	Yes	No	Yes	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements

<ul style="list-style-type: none"> Wash skin thoroughly with soap and clean water
--

Fire Precautions

<ul style="list-style-type: none"> No smoking to be permitted in the vicinity of the works.
--

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ No hot works to be allowed in the vicinity of the works. ➤ Use CO2 or dry powder extinguisher

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using a proprietary spill kit/absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste as special waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	White Spirit	COSHH Assess. No.:	4
Description of Substance:	White Spirit	Assessed By:	RH
Workplace Exposure Limits:	White Spirit 100ppm LTEL White Spirit 125ppm STEL	Date:	25 Jan 08
Task/Activity:	Used to thin oil based paints and to clean paint brushes and rollers etc following the application of such paints.	Risk Phrases:	R10, R38, R51, R53, R65
		Safety Phrases:	S23 S24 S25 S26 S36 S37 S39 S51
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
Yes	No	No	Yes	Yes	Yes	Yes	No







ROUTE OF EXPOSURE

Skin		Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
No	No	Yes	No	Yes	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
➤ Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance.	➤ Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements

Fire Precautions

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Wash skin thoroughly with soap and clean water ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ No smoking to be permitted in the vicinity of the works. ➤ No hot works to be allowed in the vicinity of the works. ➤ Use CO2 or dry powder extinguisher

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using a proprietary spill kit/absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste as special waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	High Gloss Interior Paint	COSHH Assess. No.:	5
Description of Substance:	High Gloss Interior Paint	Assessed By:	RH
Workplace Exposure Limits:	White Spirit 100 ppm LTEL White Spirit 125 ppm STEL	Date:	25 Jan 08
Task/Activity:	Painting of interior woodwork such as doors, door frames and window sills.	Risk Phrases:	
		Safety Phrases:	S23 S24 S25 S26 S37 S39 S51
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	No	Yes	Yes	Yes	No







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
No	Yes	No	No	Yes	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
➤ Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance.	➤ Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements

Fire Precautions

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Wash skin thoroughly with soap and clean water ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. ➤ No smoking to be permitted in the vicinity of the works. 	<ul style="list-style-type: none"> ➤ No smoking to be permitted in the vicinity of the works.

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using a proprietary spill kit/absorbent pads and White Spirit. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

Comments

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Vinyl Matt (Paint)	COSHH Assess. No.:	6
Description of Substance:	Vinyl Matt (Paint)	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Paint applied by brush or roller to walls, ceilings or other surfaces.	Risk Phrases:	
		Safety Phrases:	
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	No	No	No	No	No







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
No	Yes	No	No	Yes	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements

<ul style="list-style-type: none"> Wash skin thoroughly with soap and clean water
--

Fire Precautions

<ul style="list-style-type: none"> No smoking to be permitted in the vicinity of the works.
--

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using a proprietary spill kit/absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Spray Lubricant/Penetrant Oil	COSHH Assess. No.:	7
Description of Substance:	Aerosol penetrant oil/lubricant	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Spraying of penetrant onto corroded/seized parts such as nuts and bolts, seized locks etc	Risk Phrases:	R10, R65, R66
		Safety Phrases:	S2
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
Yes	No	No	Yes	Yes	Yes	Yes	No







ROUTE OF EXPOSURE

Skin		Eyes	X	Inhalation	X
Ingestion		Cuts/ Abrasions	X	Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons	X		

PPE REQUIREMENTS

						Other:	Other:
Yes	Optional	Yes	No	Yes	No	Yes/No	Yes/No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> Wash skin thoroughly with soap and clean water 	<ul style="list-style-type: none"> No smoking to be permitted in the vicinity of the works.

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ No hot works to be allowed in the vicinity of the works. ➤ Use CO2 or dry powder extinguisher

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using a proprietary spill kit/absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Caustic Soda	COSHH Assess. No.:	8
Description of Substance:	Sodium Hydroxide	Assessed By:	RH
Workplace Exposure Limits:	2mg/m3 STEL	Date:	25 Jan 08
Task/Activity:	Drain cleaning	Risk Phrases:	R35
		Safety Phrases:	S26, S37, S39, S45
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	Yes	Yes	Yes	Yes	Yes







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons	X		

PPE REQUIREMENTS

						Other:	Other:
Yes	Yes	No	No	Yes	Yes	Yes/No	Yes/No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements

<ul style="list-style-type: none"> Wash skin thoroughly with soap and clean water for
--

Fire Precautions

<ul style="list-style-type: none"> No smoking to be permitted in the vicinity of the works.
--

First Aid/Hygiene Arrangements	Fire Precautions
<p>at least 10 minutes</p> <ul style="list-style-type: none"> ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be contained and cleaned up using absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Sodium Hypochlorite	COSHH Assess. No.:	9
Description of Substance:	Liquid bleach	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Used for cleaning and disinfecting.	Risk Phrases:	
		Safety Phrases:	S1, S2, S28, S45, S50
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	Yes	Yes	Yes	Yes	No

ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
Yes	Yes	Yes	No	Yes	No	Yes/No	Yes/No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements

<ul style="list-style-type: none"> Wash skin thoroughly with soap and clean water
--

Fire Precautions

<ul style="list-style-type: none"> No smoking to be permitted in the vicinity of the works.
--

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be washed down and cleaned up using absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Furniture Polish	COSHH Assess. No.:	10
Description of Substance:	Aerosol Furniture Polish Spray	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Used for cleaning and polishing wood and glass surfaces.	Risk Phrases:	R11, R51, R52, R53, R65
		Safety Phrases:	
Suppliers Name & Address:		Telephone/ Fax No's:	
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
Yes	No	No	Yes	Yes	Yes	Yes	No







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions	X	Injection	

PERSONS AT RISK

Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
No	No	No	No	No	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> ➤ Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. ➤ Pressurized container: protect from sunlight and do 	<ul style="list-style-type: none"> ➤ Ensure that adequate supervision is provided at all times

ADDITIONAL CONTROL MEASURES	
General Precautions	Control Measures
<ul style="list-style-type: none"> not expose to temperature exceeding 50°C. ➤ Do not pierce or burn container, even after use. ➤ Do not spray onto a naked flame ➤ Keep away from sources of ignition ➤ Do not smoke 	

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ If the product comes into contact with the skin or eyes, wash off immediately with plenty of cold water. ➤ If irritation develops, seek medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ Fight fires from a protected location or maximum possible distance in case of explosion.

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>This is only a preliminary assessment based on generic information for similar products.</p> <p>This assessment must be reviewed and amended by a competent person prior to its contents being used. This is to ensure that consideration is given to site specific circumstances or differences which may affect the original assessment. It is the employers responsibility to ensure that a suitable and sufficient assessment of the risks are undertaken when using any material which may be hazardous to health. If in doubt seek competent professional advice.</p> <p>An up to date Material Safety Data Sheet (MSDS) should be obtained from the supplier and reviewed alongside this assessment to ensure that the control measures are suitable and remain valid.</p>

Comments







--

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Thick Fragrant Bleach	COSHH Assess. No.:	11
Description of Substance:	Thick Bleach	Assessed By:	RH
Workplace Exposure Limits:	LTEL - 8 Hours STEL - 15 Minutes	Date:	25 Jan 08
Task/Activity:	Toilet Cleansing	Risk Phrases:	R31, R34, R35
		Safety Phrases:	S1, S2, S28, S45, S50
Suppliers Name & Address:	Nationwide Hygiene Supplies	Telephone/ Fax No's:	0181 941 9794
		MSDS Attached:	Yes

ROUTE OF EXPOSURE					
Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/Abrasions		Injection	

PERSONS AT RISK					
Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS							
						Other:	Other:
Yes	Yes	Yes	No	Yes	No	Yes/No	Yes/No

ADDITIONAL CONTROL MEASURES	
General Precautions	Control Measures
<ul style="list-style-type: none"> ➤ Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> ➤ Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Wash skin thoroughly with soap and clean water ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ No smoking to be permitted in the vicinity of the works.

First Aid/Hygiene Arrangements	Fire Precautions

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature.

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be washed down and cleaned up using absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>See Health & Safety Data Sheet Attached</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Detergent - Neutral Liquid Detergent (15%)	COSHH Assess. No.:	12
Description of Substance:	Clear Green Liquid	Assessed By:	RH
Workplace Exposure Limits:	Neutral Liquid Detergent (15%)	Date:	25 Jan 08
Task/Activity:	General Cleansing	Risk Phrases:	
		Safety Phrases:	
Suppliers Name & Address:	Nationwide Hygiene Supplies	Telephone/ Fax No's:	0181 941 9794
		MSDS Attached:	Yes

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	Yes	Yes	Yes	No	No







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions	X	Injection	

PERSONS AT RISK

Users of the product	X	Members of Public	X	Visitors	X
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
Yes	No	No	No	No	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
<ul style="list-style-type: none"> ➤ Product is not classed as hazardous 	<ul style="list-style-type: none"> ➤ Store away from Children ➤ Use only according to directions ➤ Do not mix with other chemicals ➤ Always ensure cap is replaced and tight ➤

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Eyes – Rinse well with large quantities of clean water ➤ Skin – Rinse well with warm water ➤ Ingestion – Do not induce vomiting, give small sips of milk or water to drink and seek medical advice 	<ul style="list-style-type: none"> ➤ Product is not flammable

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ Product is not classed as hazardous 	<ul style="list-style-type: none"> ➤ Store away from children ➤ Ensure cap is tightened ➤ Do not store in temperatures greater than 35c or less than 0c

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤

Comments
<p>See Health & Safety Data Sheet Attached</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Lemon Floor Gel	COSHH Assess. No.:	13
Description of Substance:	Pourable Yellow Jell	Assessed By:	RH
Workplace Exposure Limits:	Concentrated Lemon Floor Jell	Date:	25 Jan 08
Task/Activity:	Floor Cleansing	Risk Phrases:	
		Safety Phrases:	
Suppliers Name & Address:	Nationwide Hygiene Supplies	Telephone/ Fax No's:	0181 941 9794
		MSDS Attached:	Yes

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	Yes	Yes	Yes	No	No







ROUTE OF EXPOSURE

Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions	X	Injection	

PERSONS AT RISK

Users of the product	X	Members of Public	X	Visitors	X
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
Yes	No	No	No	No	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
➤ Product is not classed as hazardous	<ul style="list-style-type: none"> ➤ Store away from Children ➤ Use only according to directions ➤ Do not mix with other chemicals ➤ Always ensure cap is replaced and tight ➤

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Eyes – Rinse well with large quantities of clean water ➤ Skin – Wash well with soap and water ➤ Ingestion – Do not induce vomiting, give small sips of milk or water to drink and seek medical advice 	<ul style="list-style-type: none"> ➤ Product is not flammable

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ Product is not classed as hazardous 	<ul style="list-style-type: none"> ➤ Store away from children ➤ Ensure cap is tightened ➤ Do not store in temperatures greater than 35c or less than 0c

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤







Comments
<p>See Health & Safety Data Sheet Attached</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Sulphamic Acid Toilet Cleaner	COSHH Assess. No.:	14
Description of Substance:	Thick Clinging Toilet Cleaner / Sanitiser	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Toilet Cleansing	Risk Phrases:	R36 / R38
		Safety Phrases:	S1, S2, S28, S45, S50
Suppliers Name & Address:	Nationwide Hygiene Supplies	Telephone/ Fax No's:	0181 941 9794
		MSDS Attached:	Yes

ROUTE OF EXPOSURE					
Skin	X	Eyes	X	Inhalation	X
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK					
Users of the product	X	Members of Public		Visitors	
Other Workers		Young Persons			

PPE REQUIREMENTS							
						Other:	Other:
Yes	Yes	Yes	No	No	No	Yes/No	Yes/No

ADDITIONAL CONTROL MEASURES	
General Precautions	Control Measures
<ul style="list-style-type: none"> ➤ Ensure that the above specified PPE is worn and that all staff are informed of the risks; control measures and precautions required when working with the substance. 	<ul style="list-style-type: none"> ➤ Ensure that adequate supervision is provided at all times.

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ Wash skin thoroughly with soap and clean water ➤ If contact is made with the eye, immediately flood the eye with plenty of clean water for at least 10 minutes and seek immediate medical attention. ➤ If inhalation or ingestion occurs, seek immediate medical attention. ➤ Wash out the mouth with clean water where appropriate. 	<ul style="list-style-type: none"> ➤ No smoking to be permitted in the vicinity of the works.

First Aid/Hygiene Arrangements	Fire Precautions

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ Ensure that the work area is well ventilated at all times. 	<ul style="list-style-type: none"> ➤ Consider additional monitoring if this product is to be used within a confined space. ➤ Provide additional monitoring where young or inexperienced workers are carrying out the works.

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ No special requirements for small quantities 	<ul style="list-style-type: none"> ➤ Store in a dry, well ventilated and secure store. ➤ Always store upright with the lids firmly secured. ➤ Protect from extremes of temperature not below 0c or higher than 35c

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ Spillages should be washed down and cleaned up using absorbent pads. These should then be placed into a suitable container for disposal. 	<ul style="list-style-type: none"> ➤ Dispose of waste containers etc as normal waste via a licensed waste contractor.

Comments
<p>See Health & Safety Data Sheet Attached</p>

PRELIMINARY COSHH ASSESSMENT

Product Name(s):	Hand Lotion Spray Soap	COSHH Assess. No.:	15
Description of Substance:	Pink Liquid	Assessed By:	RH
Workplace Exposure Limits:		Date:	25 Jan 08
Task/Activity:	Hand Washing	Risk Phrases:	
		Safety Phrases:	
Suppliers Name & Address:	Lotus Professional	Telephone/ Fax No's:	0114 285 5805
		MSDS Attached:	Yes / No

SUBSTANCE PROPERTIES

							
Flammable/ Highly Flammable	Oxidiser	Explosive	Harmful	Toxic/ Very Toxic	Irritant	Dangerous to the Environment	Corrosive
No	No	No	No	Yes	Yes	No	No







ROUTE OF EXPOSURE

Skin		Eyes	X	Inhalation	
Ingestion	X	Cuts/ Abrasions		Injection	

PERSONS AT RISK

Users of the product	X	Members of Public	X	Visitors	X
Other Workers		Young Persons			

PPE REQUIREMENTS

						Other:	Other:
Yes	No	No	No	No	No	Yes / No	Yes / No

ADDITIONAL CONTROL MEASURES

General Precautions	Control Measures
➤ Not Hazardous	➤

First Aid/Hygiene Arrangements	Fire Precautions
<ul style="list-style-type: none"> ➤ In case of contact with eyes, rinse immediately with water ➤ If ingested, drink plenty of water, do not induce vomiting and call a doctor 	<ul style="list-style-type: none"> ➤ None

LEV Requirements	Monitoring Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤

Transport Arrangements	Storage Requirements
<ul style="list-style-type: none"> ➤ None 	<ul style="list-style-type: none"> ➤ No special storage conditions required ➤ Keep out of reach from children

Spillage Procedures	Disposal Requirements
<ul style="list-style-type: none"> ➤ 	<ul style="list-style-type: none"> ➤ None

Comments
<p>See Health & Safety Data Sheet Attached</p>